

KUNGLTEKNISKA HÖGSKOLAN Royal Institute of Technology Numerical Analysis and Computing Science

CID-42, KTH, Stockholm, Sweden 1999

## Usor: A Web Based Collection of User Oriented Methods

Fredrik Winberg



#### Fredrik Winberg

Usor: A Web Based Collection of User Oriented Methods **Report number:** CID-42 **ISSN number:** ISSN 1403-073X **Publication date:** March 1999 **E-mail of author:** fredrikw@nada.kth.se **URL of author:** http://www.nada.kth.se/~fredrikw

#### Reports can be ordered from:

CID, Centre for User Oriented IT Design Nada, Dept. Computing Science KTH, Royal Institute of Technology S-100 44 Stockhom, Sweden telephone: + 46 8 790 91 00 fax: + 46 8 790 90 99 e-mail: cid@nada.kth.se URL: http://www.nada.kth.se/cid/

## **Usor: A Web Based Collection of User Oriented Methods**

Fredrik Winberg

Centre for User Oriented IT-Design Royal Institute of Technology S-100 44 Stockholm, Sweden +46-8-790 9273 fredrikw@nada.kth.se

#### ABSTRACT

This web site contains short summaries of different user oriented methods. All methods are described by means of a simple template. The methods are also classified with regards to when in a design process the method can be used, what level of user involvement required, and why and in what context the method can be used. The classification scheme makes it easy for the reader to search for and browse the methods. There is a mailing list connected to the web site where user oriented methods can be discussed.

#### Keywords

Methods, user orientation, web site, mailing list, references, summaries, usability

#### INTRODUCTION

Usor is a web based collection of user oriented methods — mainly systems development methods. Some methods, however, originate from other areas such as the *Future Workshop* [2], a technique for helping small groups of people generate and implement creative ideas.

A user oriented method is a method where the users are considered in some way in the development process. This could mean anything from just being aware of the users to involving users in all steps in the development of the product.

Usor is a place to read about, get a short introduction to, and get a reference where to read more about user oriented methods. It does not contain extensive definitions of any of the methods. Because of this, only published and publicly available methods are and will be included.

#### AUDIENCE

Who is this collection intended for? The descriptions are easy to understand for every reader, regardless of their previous experience in user oriented methods. Additionally, the references and the classifications are useful both to experts and beginners.

#### WHAT IS A METHOD?

We have used the definition from Olson and Moran [4], who defines that "a method implies a systematic, repeatable way

In *PDC 98 Proceedings of the Participatory Design Conference*. R. Chatfield, S. Kuhn, M. Muller (Eds.) Seattle, WA USA, 12-14 November 1998. CPSR, P.O. Box 717, Palo Alto, CA 94302 cpsr@cpsr.org ISBN 0-9667818-0-5. to design". Additionally, a method is defined as something that includes (1) a statement of the problem that this method addresses, (2) a device (a tool, technique or model), (3) a procedure for using the device, and (4) a result, or rather a definition of the nature of the result.

#### GOAL

This web site exists for three reasons: (1) to provide an overview of existing user oriented methods, (2) to provide a good source for references in the area, and (3) to offer a place for discussing user oriented methods. The third item is accomplished by means of the Usor mailing list, see below.

What makes Usor special? What makes Usor usable?

- It is complete with regards to what is presented. No named methods on the pages leads to an empty description.
- It is maintained by a research institute and is therefore publicly available and not commercially tied.
- Much effort has been spent on the classification and it is therefore easy to search and find a specific method not only by its name, but also by its content.
- It contains a mailing list on which user oriented methods can be discussed. The discussions on this list will be reflected in the contents of the web site.
- The readers of Usor are encouraged to contribute with their opinions on the descriptions and with their own methods. Anyone could have their method included in the collection, provided that it has been published. No restrictions have been introduced so far.

#### **DESCRIPTION TEMPLATE**

All methods are described according to the following template.

- A short introduction to the method and a description of what problems it addresses.
- **Classification**. The classification of the method. This states something about the contents of the method.
- **Results**. What kind of results the method is expected to produce.
- **How to perform the method.** How to perform the steps of the method. The steps are briefly described to give the reader an idea of what skills and resources are required for using the method.

- **Benefits and limitations**. What is good and what is bad about the method? When is it appropriate to use it and when is it inappropriate?
- Further reading. Where can I read more about this method?

#### **CLASSIFICATION SCHEME**

The classification of the methods is an important part of Usor. In order to browse and search the methods in a meaningful way, some sort of classification needs to be used. The classification scheme must support the readers in their efforts to find a suitable method for a particular situation.

The classification is based on the classification made in an article by Sweeney, Maguire & Shackel [5]. There are three main categories.

- Activity. The activity is the state in which the development process is. Most software cycle models or system development methods are easy to divide into the following four activities; *planning* (what?), *analysis* (how?), *design* (the design of a product or a prototype), and *evaluation* (assessment of a product or a prototype).
- User involvement. The user involvement states in what way end users are involved in the development process. Remember that in this context, even if you do not have any user participation, your work can be user oriented. The three levels are *modelling* (theoretical models of the interaction), *without* (pretending to be users based on experience), and *participation* (users participate).
- **Goal**. The goal is the reason why the method is being used. It also states something about what type of problems that are being addressed. The four different goals are *diagnostic* (identify shortcomings and recommend redesign solutions), *summary* (does the system support the users task?), *certifying* (generate quantitative information), and *envisioning* (producing visions of the future).

#### **USER STUDIES**

The first version of this web site was evaluated [7] using an adapted version of the Thinking Aloud method [3]. The test subjects were asked to think aloud while solving a number of tasks. In contrast to a regular thinking aloud session, the test subjects were encouraged to comment all their spontaneous reactions about the web pages and their content instead of describing each action they did. The second version of Usor is the one that is presented here. Most matters commented on by the test subjects has been changed accordingly.

#### ACCESSIBILITY

One important aspect when creating web pages is to make them easy to read and understand. Many people tend to forget that this also should include people with disabilities. There are a couple of guidelines on how to design web pages that are accessible for all users and Usor meets these requirements, therefore Usor has got the *Web Access Symbol* [6] and the *Bobby Approved* icon [1].

#### **USOR MAILING-LIST**

The web site also contains a mailing list. This mailing list offers a place for discussing user oriented methods. The list is unmoderated and will be so for as long as possible. The goal is to have the discussions on this list to be reflected in Usor. If, for example, some specific opinions or experiences are shared on this list and they are considered to be of interest to all Usor visitors, they will be integrated on the web pages.

#### DISCUSSION

Usor is on the web right now, and will be so as long as it fulfils a purpose. The activity on Usor is dependent on the readers. Only if the readers take an active part, the goals and the visions of this web site will be fulfilled. We will try to spread the word about this web site to anyone that could be interested and to any web site that could be relevant. But you play an important role as a reader of this document, try to spread the word about this web site and take a look yourself, either at this conference or later.

#### REFERENCES

- 1. Bobby, Center for Applied Special Technology, http://www.cast.org/bobby/ (7/7 1998)
- Jungk, R. and Müllert, N. (1996) Future workshops: How to Create Desirable Futures, Institute for Social Inventions, ISBN 0-948826-39-8
- Nielsen, J. (1993) Usability Engineering, AP Professional, pp. 195-198, ISBN 0-12-518406-9
- 4. Olson, J. and Moran, T. (1995) "Mapping the Method Muddle: Guidance in Using Methods for User Interface Design". In Rudisill, M., Lewis, C., Polson, P., & McKay, T (Eds.), *Human-Computer Interface Design: Success Cases, Emerging Methods and Real-World Context*, ISBN 1-55860-310-7
- Sweeney, M., Maguire, M., & Shackel, B. (1993) "Evaluating user-computer interaction: a framework" *International Journal of Man-Machine Studies*, vol. 38, 689-711
- Web Access Symbol, The Web Access Project, National Center for Accessible Media, http://www.wgbh.org/ wgbh/pages/ncam/currentprojects/symbolwinner.html (7/7 1998)
- Winberg, F. (1998) "Evaluation of 'Collection of Methods and Techniques'" (unpublished manuscript), CID, Royal Institute of Technology, Sweden

## http://www.nada.kth.se/cid/usor

# **USOR** A WEB BASED COLLECTION OF USER ORIENTED METHODS

Fredrik Winberg, fredrikw@nada.kth.se

Centre for User Oriented IT-Design, Royal Institute of Technology, S-100 44 Stockholm, Sweden

#### WHAT IS USOR?

Usor is a web site where you can read about, get a short introduction to, and get a reference to where you can read more about user oriented methods. It does not contain extensive definitions of any of the methods. Because of this, only published and publicly available methods are, and will be, included. There also exists a mailing list, the Usor mailing list, which offers a place for discussing user oriented methods.

#### WHAT MAKES USOR USABLE?

• It is complete with regard to what is presented. No named methods on the pages lead to an empty description.

• It is maintained by a research institute and is therefore publicly available and not commercially tied.

• Much effort has been spent on the classification and it is therefore easy to search and find a specific method not only by its name, but also by its content.

• It contains a mailing list on which user oriented methods can be discussed. The discussions on this list will be reflected in the contents of the web site.

• The readers of Usor are encouraged to contribute their own methods and their opinions on the descriptions. Anyone could have a method included in the collection, provided that it has been published.

#### **CLASSIFICATION SCHEME**

The methods are classified with regard to when in a design process the method could be used, the **Activity**, what level of user involvement is required, the **User involvement**, and why and in what context the method can be used, the **Goal**<sup>3</sup>. This classification scheme makes it easy for the reader to search for and browse the methods.

#### ACCESSIBILITY

One important aspect when creating web pages is to make them easy to read and understand. Many people tend to forget that this should also include people with disabilities. There are a couple of guidelines on how to design web pages that are accessible for all users and Usor meets these requirements. Therefore Usor has got the *Web Access Symbol*<sup>1</sup> and the *Bobby Approved* icon<sup>2</sup>.

#### DISCUSSION

Usor is on the web right now, and will be so as long as it fulfills a purpose. The activity on Usor is dependent on reader participation. Only if the readers take an active part, the goals and the visions of this web site will be fulfilled. We will try to spread the word about Usor to anyone that could be interested and to any web site that could be relevant. But, as a reader of this poster, You play an important role. Try to spread the word about Usor and take a look at the web site yourself.

#### Notes

 Web Access Symbol, The Web Access Project, National Center for Accessible Media, http://www.wgbh.org/wgbh/pages/ncam/currentprojects/symbolwinner.html (7/7 1998)
 Bobby, Center for Applied Special Technology, http://www.cast.org/bobby/ (7/7 1998)

3. Sweeney, M., Maguire, M., & Shackel, B. (1993) "Evaluating user-computer interaction: a framework" International Journal of Man-Machine Studies, vol. 38, 689-711





	Netscape: Usor	
	Usor A Celloction of User Oriented Methods	
Entertaine Enterth Contributions and Community Union mathine-hast Links and Externation Schements distantement of Methods	The web means a compared of there are could a serial of the series of th	2006 A
Activity Disolar Acalosit Dista Distantion	There are true diffusion relations that not suggest in database a system. Keveleptamin devices, Nor specific to be proposed by the true of the state of the state we have a state of the state of the state of the state of the state methods that suggests and the state of the state of the state of the control we have so no to be provide using y provide using the state we have a state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state we have a state of the state of the state of the state of the state of the st	ta.
User Involvement Modelane Widelane Participation	There are there levels of services and the service services is what way the service is being bened in collad during the new of a surface. This mapped from your distance about their systems is groups where service introducing the service size systems development. Recember the region can work us is surface or some cancer even if the service on an perception.	be
Goal Lincastio Anamany Christian Bartename	The goal is the meson why the method is being used, for example if you are going to benefity characterized of a laterther or if you are trying to mesons the laterther mesons are used and any others.	
٩	BOBBY	
ai"		

]		Netscape: Search		E		
	Usor — A Collection of User Oriented Methods					
Electron Error Contributions and Comments	Search Here you reases the sectored for a performer standardionic perfile or a subardiag of the same of the method.					
Links and Links and References Alabetecal list	Substring search o Flass new the yes do no releving is collision.	n method name e hew to incor the whole name, or	rma x visite pet of the acare, say			
Activity Pisotor Application Application Destro	Classification search Fellow de lade in the left megis de un explanation of the Billware charact.					
User	L. Activity	2. User involvement	3. Goal			
Modeline Witkest Participation Goal	Paceing     Analysia     Design     Braitesice	O Modeling the user Without the user User participation	Chegacotic     Stansacy     Contribute     Destansion			
Discatorio	Ally K0/97	Aug sombrowst	ALT EVAL			
Contribute Excitationalse This pape was present with (ML)	2000th In provident the service 750 rdf - 2 contention	g to mixeling or incorrect? Places for ( <i>by FlowLask Witelawg / Lindca</i> k	l bu la contributo or maio commento mellondo dal co J			
	Annu Aray los	BY		_		
10						

	Netscape: future Workshop	1
Ū.	User A Collection of User Oriented Methods	
1284.2568	Future Workshop	
Contributions and Contribute	A Prince Workshop is a cardial that supports the presention of viscous for the firster toe of compress. The method could also be described as a structured build-incoming technique.	
Unix notice-tat Links and Beforences Addapterial.lat	A. Print Wretabup is divided late fare planet: the Chittype planet is designed to take or appetite issues and problems short ensure web protein: - the Passes planet short the participant to inseries "what it" the workplane could be - the implementation planet focuses on what changes that are inselected to accouncil alls and what more than work be method.	
Activity Finalac dailotz Doko Evantos	Classification  Phonaby and Analysis Uma participation  Phone participation  Phone participation  Results  Results	
User Involvement Modalize Without Existention Goal	The retrievent of a frace "Retaining to the of charact character. Development as the heat of doorwest for the result of exercises the fractance of the intermediate of the fraction, the monomers and the extensions of the rethout of taglementing frace character could be extension. How no retaineant profession and analysis instruct the frace to analyze could be the extension. How too Retrieven as Fractione Workshown.	
Contraction Standard Contract Excellence Excellence	In Protocher du vocabular poro, The circle duratil volation percher han vocabular poro, The circle duratil vocabular percentente and the circle and the c	
P My Michaela	3. In the Tendory Balon, the numb fram the Children pases to much the posterior balon, the tendor of the Children pases are the tendored and the posterior balon of the Children passes are the tendored and tendored and the tendored and tendored	

